

## ZGUIXTF4 Guide

➤ **What is ZGuiXTF4 and why do I need it?**

If you want to provide matchcode (F4) help for GuiXT created fields then you will need an ABAP program that Synactive provides it for you. The name of the ABAP program is ZGuiXT F4.

➤ **Where do I get this program from?**


You can download it from below link.

<http://updates.guixt.com/downloads/zguixtf4.txt>


➤ **What do I do with this file I downloaded?**

The ABAP program ZGUIXTF4 has to be installed in your R/3 itself and you will need to assign a transaction code ZXF4 to this program. This is how you can install ZGuiXTF4 to your R/3 database.


**Step 1:** Go to transaction *SE38*; Enter *ZGUIXTF4* as the program name; Select Source code radio button and hit 'create'.




**Step 2:** Enter a *Title*, Type: Executable program, Status and other Required fields in this Program Attributes popup and hit 'Save'.




**Step 3:** Assign a package and hit 'Save'



## Step 4: Copy and paste the ZGuiXTF4.txt file in to the Abap Editor and 'Save'



## Step 5: Now the ZGuiXTF4 is saved. Now go to transaction SE38 and activate the program.




Now the **ZGuiXTF4** is saved and **activated** in your SAP R/3.  
Now you have to assign a transaction (**ZXF4**) code to **ZGuiXTF4** program.

# Assigning Transaction to ZGuiXTF4 program


## ➤ How do I create this transaction code?

To create transaction code ZXF4, please follow the steps below:

**Step1:** Go to transaction SE93, enter the transaction name ZXF4 and press create button.



**Step2:** Select the radio button “*Transaction with Parameters*” and enter a Short Text description, hit Enter



## Step3:

- Fill in the transaction as SA39
- Check the checkbox : Skip Initial screen
- Check the checkbox : Inherit GUI attributes
- Fill in the Name of the Screen Filed : RS38M-PROGRAMM
- Value as: ZGUIXTF4

Transaction code: YXF4

Package:

Transaction text: Matchcode for OutCT created Fields

Default values for:

Transaction: SA39

☒ Skip initial screen

Obsolete: Use default values for transaction

Screen:

From module pool:

Classification:

☒ Inherit GUI attributes

Transaction classification:

☒ Professional User Transaction

☐ Easy Web Transaction

☐ Pervasive enabled

Service:

GUI support:

☒ SAPGUI for HTML

☐ SAPGUI for Java

☐ SAPGUI for Windows

Name of screen field	Value
RS38M-PROGRAMM	ZGUIXTF4

## Step 4:

Press Save; SAP will prompt you to fill in Package name. If you are planning to transport it to other SAP boxes, you should give a package name else you can save it as LocalObject.

Transaction code: YXF4

Package:

Transaction text: Matchcode for OutCT created Fields

Default values for:

Transaction: SA39

☒ Skip initial screen

Obsolete: Use default values for transaction

Screen:

From module pool:

Classification:

☒ Inherit GUI attributes

Transaction classification:

☒ Professional User Transaction

☐ Easy Web Transaction

☐ Pervasive enabled

Service:

GUI support:

☒ SAPGUI for HTML

☐ SAPGUI for Java

☐ SAPGUI for Windows

Package:


Person Responsible: GUIMBUCR

Original System: SAP

Original language: English

Name of screen field	Value
RS38M-PROGRAMM	ZGUIXTF4

## Step 5: Save the transaction ZXF4.



- Let's say I have ZGuiXTF4, ZXF4 in my DEV system, should I create it in my QAS and PRD as well?  
If you are planning to see your GuiXT scripts work in other environments then you have the option to **create** or **transport** it to other SAP boxes as well.