

WS Functional Automation

8.07 rfcconnect

Purpose

The rfcconnect command, along with the associated rfcuser and rfcpassword, is used to make remote calls between two SAP systems or between an SAP system and a non_SAP system, such as a GuiXT Server. In order to log on to the SAP system, the RFC needs a username and password. The password can be either encrypted or in plain text. Synactive recommends that you create a new RFC user in SAP, and give that user the appropriate rights.

The rfcconnect command specifies connection strings for one or more SAP application servers. This command is usually found in the guixt.sjs configuration file and is used to send a connection string specifying the SAP ERP system to which the RFC user will connect.

Syntax

```
rfcconnect="IFDATABASE=XXX,LANG=E,CLIENT=xxx,  
ASHOST=SAP_system,SYSNR=00,LCHECK=0,USE_SAP GUI=0,  
USER=rfc_user,PASSWD=rfc_password";
```

Note: If the password is encrypted, the plain text password will be replaced with the 'PASSWD' parameter by an encrypted string. Beginning with WS release 1.2.157.0, the username and password are no longer required for an rfcconnect statement. Instead, this data is read from the rfcuser and rfcpassword entries in the guixt.sjs file.

About RFC

The RFC data can be invoked in two other ways - either from the RFC parameters in the guixt.sjs file as explained in the GuiXT.sjs Parameters section or from a call command as explained in the call section. In order of precedence, the rfcconnect array takes precedence, followed in order by the call command and finally the single RFC user entry in the guixt.sjs file.

The GuiXT functionality that requires RFC is as follows.

- Calling scripts from the SAP Web Repository (SAPWR)

WS Functional Automation

Note: When you are connecting to a Web Repository, the RFC username, password and connection setting must be included in a single rfcconnect statement in the guixt.sjs file - it cannot be invoked from any other location.

- Using call statements in scripts
- Using SAP Roles in scripts
- Reading data dictionary items
- Reading scripts from transaction variants
- Reading images from 'SAPDB...'
- Reading images from 'SAPIM...' (Business Document Server)

The table below contains the GuiXT actions that require RFC. In addition, the table contains the following information for each action:

- The client in which the logon occurs
- The name of the remote function called
- The SAP user rights required to perform the action

Action	Client	Function	RFC Permissions
Read Script For Transaction Variants	000	RS_HDSYS_GET_GUIXT_SCRIPT	S_RFC: RFC_TYPE=FUGR, RFC_NAME=SURL, ACTVT=16
Read SAPWR Objects	000	WWW_DISPATCH_REQUEST	S_RFC: RFC_TYPE=FUGR, RFC_NAME=SURL, ACTVT=16
Use Call Statement in Script	Value specified in script.	Value specified in script.	S_RFC: RFC_TYPE=FUGR, RFC_NAME=xxxx, ACTVT=16 Note: The value 'xxxx' is the functional group of the function you are calling.
Role-based access restriction	BAPI_USER_GET_DETAIL	See examples for custom functions and sample code.	S_RFC: RFC_TYPE=FUGR, RFC_NAME=xxxx, ACTVT=16 S_USER_GRP

WS Functional Automation

Action	Client	Function	RFC Permissions
			<p>CLASS=SUPER, ACTVT=90</p> <p>S_USER_SYS</p> <p>CLASS=SUPER, ACTVT=90 (if using central user administration)</p>
Profile-based access restriction	BAPI_USER_GET DETAIL	See examples for custom functions and sample code.	<p>S_RFC:</p> <p>RFC_TYPE=FUGR, RFC_NAME=xxxx, ACTVT=16</p> <p>S_USER_GRP</p> <p>CLASS=SUPER, ACTVT=90</p> <p>S_USER_SYS</p> <p>CLASS=SUPER, ACTVT=90 (if using central user administration)</p>
Reading images from 'SAPDB...'	000	RS_HDSYS_GET_ GUIXT_IMAGE	<p>S_RFC:</p> <p>RFC_TYPE=FUGR, RFC_NAME=xxxx, ACTVT=16</p> <p>Note: Value 'xxxx' is defined in the script.</p>
Reading images from 'SAPIM'...	000	RS_HDSYS_GET_ BDS_IMAGE	<p>S_RFC:</p> <p>RFC_TYPE=FUGR, RFC_NAME=RSIMG, ACTVT=16</p> <p>S_BDS_DS:</p> <p>CLASSNAME=cccc, CLASSTYP=OT, ACTVT=30</p>

WS Functional Automation

Action	Client	Function	RFC Permissions
			Note: Value 'cccc' is the class name of the BDS image file.

Parameters

The rfcconnect command takes a number of parameters.

Unique solution ID: #1082

Author: Punil Shah

Last update: 2018-10-29 08:05